


# Jas des Agneaux via Pissard des Aiguilles

Valbonnais - Le Périer



La plaine d'Entraigues vue du jas des Agneaux (Bernard Nicollet - PNE)



*A forest trail in the shade of tall pine trees up to a light-filled, unique belvedere.*

On a carpet of pine needles and leaves, you make your way along a winding path for a long distance. The typical north-facing slope of the forest provides humidity and coolness, excepting in rare places where the sun's rays peep through the gaps made by uprooted trees after the storm of 5 January 2012.

*Bernard Nicollet, Ecrins National Park keeper*

## Useful information

Practice : By walk

Duration : 5 h 30

Length : 9.2 km

Trek ascent : 969 m

Difficulty : Medium

Type : Return trip

Themes : Fauna, Flora, Panorama


# Trek

**Departure** : Dessous la Roche

**Arrival** : Dessous la Roche or Entraigues

**Cities** : 1. Le Périer  
2. Entraigues


## Altimetric profile














Min elevation 911 m Max elevation 1880 m

The car park - in a cul de sac - is 300 m after the Dessous la Roche car park. From there, under a large beech tree, follow the marked footpath along an uneven forest trail, then turn right onto a small path marking the real entrance to the forest and the heart of the Ecrins Park. From there, follow the path for a long distance across the Combe de La Géline as far as the Pissard des Aiguilles, and you finally arrive in lush sub-Alpine grassland. After three loops through the prairie, you reach the Jas des Agneaux, at point 1893m. Take the same route on the way back or the Vêt - Lac Gary route, arriving at the village of Entraigues, 4 km downstream from Dessous la Roche.

# On your path...



- |   |  |
|---|--|
| ❁ North-facing forest (A)               | ❁ Silver fir and spruce (B)  |
| ❁ Green shield-moss (C)                 | 🐛 Giant ichneumon wasp or <i>Rhyssa persuasoria</i> ("persuasive burglar") (D) |
| 🐛 Rhagium inquisitor beetle (E)         | 🐛 Carpenter ant or gâte bois (literally "wood spoiler") (F)                    |
| 🐛 Eurasian pygmy owl and boreal owl (G) | 🐛 Black woodpecker (H)   |
| ❁ Ravine forest (I)                     | ❁ Male and female ferns (J)  |

-  Hazel grouse (K)
-  Adenostyles alliariae (M)
-  Green alder groves (O)
-  Black grouse (Q)
-  The ring ouzel (S)
-  View over the Southern Alps (U)
-  Megaphorb (L)
-  Alpine sow-thistle - the alpine lettuce (N)
-  Jas des Agneaux - "Lambs' hut" (P)
-  Rock partridge (R)
-  Brow ridges (T)

# All useful information


## Herd protection dogs

In mountain pastures, protection dogs are there to protect the herds from predators (wolves, etc.).

When I hike I adapt my behavior by going around the herd and pausing for the dog to identify me.

Find out more about the actions to adopt with the article ["Protection dogs: a context and actions to adopt"](#).

Tell us about your meeting by answering this [survey](#).



## Is in the midst of the park

The national park is an unrestricted natural area but subjected to regulations which must be known by all visitors.



## Advices

Possibilité de rejoindre le village d'Entraigues (à 4 km en aval de Dessous la Roche) par le sentier du Vêt et la Combe des Roberts.

## How to come ?

## Transports

Bus Transisière La Mure-Le Perier

## Access

D526 - La Mure - Valbonnais - Col d'Ornon.

## Advised parking

Dessous la Roche

## Information desks

### Maison du Parc du Valbonnais

Place du Docteur Eyraud, 38740

Entraigues

valbonnais@ecrins-parcnational.fr

Tel : 04 76 30 20 61

<http://www.ecrins-parcnational.fr/>



## Source




Parc national des Ecrins

<https://www.ecrins-parcnational.fr>



# On your path...

---



## ❁ North-facing forest (A)

This grows in the mountains up to 1,800 metres above sea level, on the steep slopes which receive the least sunshine, so not excessively dry in the summer period. It stores the water from saturated soils, stabilises the slopes and holds back the snow layer in winter. It hosts a variety of plant life, including mosses, ferns, lichens and a few flowering plants which collapse due to the low light levels. It is primarily made up of giant softwood trees with evergreen needles, among which beech and maple make the most of their protection.

Attribution : Dominique Vincent - PNE

---




## ❁ Silver fir and spruce (B)

The silver fir can reach an impressive height exceeding 40 metres. It can be recognised by the flat, blunt leaves which cover its branches, its cones standing on the ends like candles. The spruce competes in height with the fir, and they often grow together, in particular in parts of the forest at higher altitude. Sharp needles and deciduous cones hanging down from the branches are clear identifying features of the spruce.

Attribution : Dominique Vincent - PNE

---



## ❁ Green shield-moss (C)

This tiny iconic moss is only visible to the naked eye in early spring when the green spore-containing capsules are forming. It is a pioneer moss, developing on decomposing dead tree trunks in cool, damp forests. In the forestry sector, they pay close attention to it because it is a sign that the forest is in good health.

Attribution : Cédric Dentant - PNE



### Giant ichneumon wasp or *Rhyssa persuasoria* ("persuasive burglar") (D)

Although it appears to have formidable weaponry, this beautiful wasp is harmless and its pseudo-sting is nothing more than its egg-laying organ, its « ovipositor ». It is capable of laying its eggs several centimetres into the bark and wood, inside the bodies of larvae it detects there (who knows how?), so that they can feed on their hosts... perhaps the larvae of the long-horned beetle!

Attribution : Bernard Nicollet - PNE



### *Rhagium inquisitor* beetle (E)

Any tree passing from life into death is of interest to this beetle. This longhorn beetle lays all its eggs under the bark of dead conifers. Its plump yellowish larvae live in a kind of cosy nest made from sawdust, which their strong mandibles have no problem in creating around it.

Attribution : Bernard Nicollet - PNE



### Carpenter ant or gâte bois (literally "wood spoiler") (F)

Much less active and prolific than the red wood ant, which builds enormous domes of pine needles not far from here, the carpenter ant is very large and lives in old, decomposing stumps. It very seldom ventures above ground because there is plenty to eat, in the form of worms and decomposer insects, in the humus and among the dead leaves.

Attribution : Bernard Nicollet - PNE



### Eurasian pygmy owl and boreal owl (G)

Both are small owls favouring original boreal forest, which, with good reason, choose to live in stands of conifers where they take over the nests of black woodpeckers and spotted woodpeckers. At dusk, they hunt small mammals and nestlings. During the day, hidden and motionless in their nests or in clumps of lichen hanging from the branches of fir trees, they doze and keep a watchful eye on you without you being aware of them.

Attribution : Marc Corail - PNE





## Black woodpecker (H)

The "estate agent" of the forest, this large woodpecker reduces the trunks of large trees to shavings, in order to extract the insects and grubs concealed within. It feeds, builds its nest and shelters in the tree and then moves on, making way for new opportunistic occupants: martens, bats and forest-dwelling owls.

Attribution : Robert Chevalier - PNE



## Ravine forest (I)

This form of vegetation covers the dampest areas of the forest. Combes, avalanche corridors and washlands (land washed periodically by overflowing streams) are all likely environments for its development. The sycamore maple is to be found here, its deciduous foliage varying from yellow to orangey hues in autumn bringing a splash of colour to the shadowy green of the large conifers growing alongside it. Its robust root system allows it to grow between boulders and on screes. Its large leaves with five pointed lobes can be confused with the plane tree grown in our towns and cities.

Attribution : Marc Corail - PNE



## Male and female ferns (J)

Damp rocks and obscurity suit these two large ferns which grow in clumps. Distinguishing between them is not a matter of sex, but rather an examination of the characteristics specific to two clearly distinct species. Their fronds, which is what their leaves are called, only die back when new fronds first start to appear in spring.

Attribution : Mireille Coulon - PNE



## Hazel grouse (K)

You will be lucky to see one of these birds, because they are extremely timid and they prefer to keep to the forest cover. It very rarely flies, preferring to run away, «fleet of foot» from any danger. It feeds on shoots, willow catkins and rowan berries. So it is no surprise that they have chosen this habitat!

Attribution : Pierre-Emmanuel Dequest



### ✿ Megaphorb (L)

A transitional zone at the upper margins of the forest, the megaphorb is an area with communities of exuberant plants with broad leaves, seeking sunlight to ensure their development. Under the cover provided by this vegetation, a miniature world of animals and plants make the most of the conditions. The dorine protected in the Provence-Alpes-Côte d'Azur region, it is restricted to the few wet areas of this region. In the extreme west of the Les Écrins massif, it is found on the banks of mountain streams and brooks. Here, just after the snow melt, it lifts up its golden head forming beautiful carpets.

Attribution : Cédric Dentant - PNE



### ✿ Adenostyles alliariae (M)

It's most impressive feature is not its rather ordinary flowers, but the size of its thick leaves which can reach a full half-metre in diameter. Like an inverted Chinese hat, it collects rain and dew as hikers with soaked legs know all too well! But they are also a valuable feeding station for a multitude of green and blue leaf beetles which literally turn them into plant lace.

Attribution : Bernard Nicollet - PNE



### ✿ Alpine sow-thistle - the alpine lettuce (N)

As tall as a person, its purplish blue flower heads remind us that it is perhaps the ancestor of the garden lettuce. It contributes to the lushness of the environment thanks to its height and its innumerable leaves dissected into pike shapes, but graciously welcoming onto its flower heads butterflies and beetles of all shapes and sizes.

Attribution : Bernard Nicollet - PNE



### Green alder groves (O)

The spectacular transition between the forest proper and the alpine meadows on the north-facing slopes, these groves constitute a dense formation of shrubs, primarily made up of willows and green alders. The green alders are destined never to reach the height of a tree. They form impenetrable thickets where tunnels have been carved out by cover-seeking boar, chamois and deer. Providers of nitrogen through their roots, they fertilise the soil to the point of hosting the last incursions of the high megaphorb.


Attribution : Bernard Nicollet - PNE



### Jas des Agneaux - "Lambs' hut" (P)

In the summer months, shepherds from the nearby Vêt alpine meadows drive their flocks to this important grazing location. The grass here is fine, palatable and easily accessible. The sheep in particular have been enjoying it for centuries. So it's not surprising that this place bears such an appropriate name.

Attribution : Bernard Nicollet - PNE



### Black grouse (Q)

The weight of this fowl-like mountain bird varies from 700 to 1,500 grams, depending on sex. It favours thickets where it nests on the ground hidden from predators, and clearings, where the males display noisily from March onwards, splaying their lyre-shaped tail feathers.


Attribution : Rodolphe Papet - PNE



### Rock partridge (R)

Outside the spring display season when the male calls incessantly, this species is difficult to spot. Yet this curious bird likes to take up a watching position on ridges and promontories, at risk of being seized by the golden eagle.

Attribution : Jean-Philippe Telmon - PNE



## The ring ousel (S)

The ring ousel has chosen the upper margin of the forest as its home, a little lower down than the rock thrush and higher up than the blackbird. With a white bib and a distinctive alarm call, this migratory bird pecks at the earth for insects, devours cranberries in the nearby mountains heathland, competes with the song of the marsh warbler in the alders and chases away the nutcracker as it gets too close to its nest the Swiss pine... all in a day's work for an ousel!

Attribution : Pierre Dumas - PNE



## Brow ridges (T)

These are home to highly specific plants which are adapted to extreme weather conditions. Violent winds, little snow and polar temperatures. Flowering shortly after the snowmelt, the Heller's anemone, an anemone with silky « fur », thumbs its nose at the difficult conditions that reign here. It constitutes a smile in a prostrate and shrivelled plant world. We must admire it without picking it: its rarity has earned it national protection.

Attribution : Cédric Dentant - PNE



## View over the Southern Alps (U)

Standing at the western edge of the Les Écrins massif, the Jas des Agneaux offers a unique panorama over the Le Dévoluy massif, the mountains of the lower Valbonnais, the Matheysin plateau and the Vercors. As your eyes sweep from left to right, you can see Le Gargas, Le Colombier, L'Obiou, Mont Aiguille, Le Grand Veymont and the cliffs of the Vercors, L'Etilier and Le Coiro.

Attribution : Sylvie Durix - PNE