


Le Piolit

Parc national des Ecrins



Sommet du Piolit (Laurent Brochier)



An energetic hike on the sunny slopes of Le Piolit.

In late spring, the steep slopes are covered in flowers, as well as butterflies and foraging insects of all kinds.

The finale takes place on a crest and is quite steep, but the reward is a magnificent view from the Gapençais to the Serre-Ponçon lake!

Useful information

Practice : By walk

Duration : 5 h

Length : 16.4 km

Trek ascent : 1178 m

Difficulty : Hard

Type : Return trip

Themes : Panorama, Top

Trek

Departure : Col de Moissière, Ancelle


Markings :  PR  GR

Cities : 1. Ancelle

2. La Bâtie-Neuve

3. Chorges

Altimetric profile



Min elevation 1467 m Max elevation 2441 m

Leaving from the Col de Moissière car park, take the road towards Le Sapet. At Arto, continue along the road towards Baillenq. Take the forest path towards “Torrent du Sapet” (GR 50). The path winds its way up to Le Piolit. The last section runs along a crest, providing a superb panorama over the Serre Ponçon lake. Go back the same way.

[illegible]

All useful information

How to come ?

Access

Ancelle via the RN 85, D114, D514. At the village, take the D213 towards Moissière.

Advised parking

Col de Moissière, Ancelle

Environmental sensitive areas

Along your trek, you will go through sensitive areas related to the presence of a specific species or environment. In these areas, an appropriate behaviour allows to contribute to their preservation. For detailed information, specific forms are accessible for each area.

Golden eagle

Sensitivity period: January, February, March, April, May, June, July, August

Contact: Parc National des Écrins
Julien Charron
julien.charron@ecrins-parcnational.fr

Nidification de l'Aigle royal

Les pratiques qui peuvent avoir une interaction avec l'Aigle royal en période de nidification sont principalement le vol libre et les pratiques verticales ou en falaise, comme l'escalade ou l'alpinisme. Merci d'éviter cette zone et de privilégier un survol de la zone à une distance de survol de 300m sol soit à une altitude minimale de 2260m.

Source



Maison du Tourisme du Champsaur et Valgaudemar

<http://www.champsaur-valgaudemar.com>